

For the use of Registered Medical Practitioner or Hospital use or Laboratory use only

Bricarex[®] Syrup

Composition

Each 5 ml of syrup contains:

Terbutaline Sulphate I.P. 1.5 mg.

Guaifenesin 66.65 mg.

Description : Bricarex[®] syrup acts against the underlying elements of productive cough, viz. bronchospasm and impaired mucociliary clearance. Terbutaline in Bricarex[®] syrup relieves bronchospasm and keeps the airways open for 6-8 hours. Terbutaline in Bricarex[®] syrup also enhances mucociliary clearance. Guaifenesin in Bricarex[®] syrup reduces the viscosity of mucus thus facilitating its transport.

Indications: In productive cough of various etiology including bronchial asthma, chronic bronchitis and emphysema.

Adverse effects: Rare incidences of gastrointestinal discomfort and drowsiness have been reported. Very large doses can cause nausea and vomiting.

Dosage: Bricarex[®] Syrup

Adults : 10-15 ml, 2-3 times a day.

Children 7-15 yrs : 5-10 ml 2-3 times a day.

3-6 yrs : 2.5 ml 2-3 times a day.

3 yrs : 2.5 ml 2-3 times a day.

Presentation: Bricarex[®] syrup, bottle of 100 ml

For further information please contact:

AstraZeneca Pharma India Ltd.
Bellary Road, Hebbal
Bangalore – 560 024